

11. REFERENCES

- Alabama Bureau of Marine Resources (BMR) and Dept. of Wildlife Conservation (DWC). 1988. Mississippi Coastal Program. Biloxi, MS. October, 1988.
- Alabama Department of Economic and Community Affairs. 1999. Alabama Coastal Area Management Plan, ACAMP III. Coastal Programs Office, currently in the Department of Conservation and Natural Resources. January 1999. 103 pp.
- Anderson, J.W. 1982. The transport of petroleum hydrocarbons from sediments to benthos and the potential effects. Pages 165-179 In: G.F. Mayer (ed.), *Ecological Stress and the New York Bight: Science and Management*. Estuarine Research Federation, Columbia, SC.
- Andreasen, J.K. and R.W. Spears. 1983. Toxicity of Texan petroleum well brine to the sheepshead minnow (*Cyprinodon variegatus*) a common estuarine fish. *Bull. Environ. Contam. Toxicol.* 30:277-283.
- Armstrong, H.W., K. Fucik, J.W. Anderson, and J.M. Neff. 1979. Effects of oil field brine effluent on sediments and benthic organisms in Trinity Bay, TX. *Mar. Environ. Res.* 2:55-69.
- Armstrong, R.S. 1981. Transport and dispersion of potential contaminants. p. 403-419. In: B. Middleditch (ed.). *Environmental Effects of Offshore Oil Production*. The Buccaneer Gas and Oil Field Study. Plenum Press, NY.
- Atema, J., E.B. Karnofsky, S. Olszko-Szuts, and B. Bryant. 1982. Sublethal effects of number 2 fuel oil on lobster behavior and chemoreception. Report to U.S. EPA, Environmental Research Lab, Gulf Breeze, FL. EPA-600/S3-82-013.
- Atlantic Richfield Co. (ARCO). 1978. Drilling Fluid Dispersion and Biological Effects Study for the Lower Cook Inlet C.O.S.T. Well. Prepared by Dames and More. 309 pp. In: Petrazzuolo, G. 1983. *Environmental Assessment of Drilling Fluids and Cuttings Discharge on the OCS*. Draft Final Report. U.S. EPA, Office of Water Enforcement and Permits, Washington, DC.
- Auble, G.T., A.K. Andrews, R.A. Ellison, D.B. Hamilton, R.A. Johnson, J.E. Roelle, and D.R. Marmorek. 1982. Results of an Adaptive Environmental Assessment Modeling Workshop Concerning Potential Impacts of Drilling Muds and Cuttings on the Marine Environment. Prepared for U.S. FWS, Fort Collins, CO. 64 pp.
- Augenfield, J.M., J.W. Anderson, R.G. Riley, and B.L. Thomas. 1982. The fate of polyaromatic hydrocarbons in an intertidal sediment exposure system: bioavailability to *Macoma inquinata* (Mollusca: Pelecypoda) and *Abarenicola pacifica* (Annelida: Polychaeta). *Mar. Environ. Res.* 7:31-50.
- Austin, H. 1970. Florida Middle Ground. *Int. Poll. Bull.* 2(2):71-72.
- Avanti Corporation. 1992. Characterization of Produced Water Discharges to Coastal Waters of Louisiana and Texas. Draft prepared for U.S. EPA Region 6, Water Management Division.

- Avanti Corporation*. 1993. Biological Assessment for the NPDES General Permit for Oil and Gas Exploration, Development, and Production Activities on the Eastern Gulf of Mexico OCS. Submitted to U.S. EPA Region 4, Water Management Division.
- Avanti Corporation*. 1993. Environmental Analysis of the Final Effluent Guidelines, Offshore Subcategory, Oil and Gas Industry, Volume I- Modeled Impacts. Prepared for U.S. EPA Office of Science and Technology, Standards and Applied Science Division, January 14, 1993.
- Ayers, R.C., Jr. 1981. Fate and effects of drilling discharges in the marine environment. Proposed North Atlantic OCS oil and gas lease sale 52. Statement delivered at public hearing Boston, MA. Nov. 19, 1981. BLM, U.S. DOI.
- Ayers, R.C., Jr., T.C. Sauer, Jr., D.O. Stuebner, and R.P. Meek. 1980a. An environmental study to assess the effect of drilling fluids on water quality parameters during high rate, high volume discharges to the ocean. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, September 1980. API, Washington, DC. pp. 351-381.
- Ayers, R.C., Jr., T.C. Sauer, Jr., R.P. Meek, and G. Bowers. 1980b. An environmental study to assess the impact of drilling discharges in the Mid-Atlantic. I. Quantity and Fate of Discharges. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, September 1980. API, Washington, DC. pp. 382-418.
- Baggett, H.D. 1982. Schaus' Swallowtail. In: P. Pritchard, Ed., Rare and Endangered Biota of Florida, Volume Six, Invertebrates. University Presses of Florida. Gainesville, FL.
- Benson, N.G., ed. 1982. Life history requirements of selected finfish and shellfish in Mississippi Sound and adjacent areas. U.S. FWS, Office of Biological Services. FWS/OBS-81/51. Washington, D.C. U.S. Government Printing Office. 97 pp.
- Berrien, P. and D. Finan. 1977. Biological and fisheries data on Spanish mackerel, *Scomberomorus maculatus* (Mitchill). US DOC, NOAA, NMFS Technical Series Report No. 9. Sandy Hook Laboratory, Sandy Hook, NJ. 52 pp.
- Bielsa, L.M., W.H. Murdoch and R.F. Labisky. 1983. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (South Florida)--Pink Shrimp. Prepared for U.S. Army Corps of Engineers and U.S. FWS. FWS/OBS-82/11.17, TR EL-82-4.
- Boesch, D.F. and N.N. Rabalais, eds. 1985. The long-term effects of offshore oil and gas development: an assessment and a research strategy. NOAA, National Marine Pollution Program Office. 738 pp.
- Boesch, D.F. and N.N. Rabalais. 1989a. Produced waters in sensitive coastal habitats: an analysis of impacts, central coastal Gulf of Mexico. Prepared under MMS Contract 14-12-001-30325. New Orleans, LA: U.S. Dept. of the Interior, MMS, Gulf of Mexico OCS Region. OCS Study/MMS 89-0031. 157 pp.
- Boesch, D.F. and N.N. Rabalais. 1989b. Environmental Impact of Produced Water Discharges in Coastal Louisiana. Final Rept. to Louisiana Div. of Mid-Continent Oil and Gas Assoc., Louisiana Universities Marine Consortium, Chauvin, Louisiana.
- Bookhout, C.G., R. Monroe, R. Forward, and J.D. Costlow, Jr. 1984. Effects of soluble fractions of drilling fluids on development of crabs, *Rhithropanopeus harrisi* and *Callinectes sapidus*. *Water, Air, Soil Pollut.* 21:183-197.

- Boothe, P.N. and B.J. Presley. 1985. Distribution and Behaviour of Drilling Fluids and Cuttings Around Gulf of Mexico Drilling Sites. Final Report to API. Texas A&M University.
- Brandsma, M.G., L.R. Davis, R.C. Ayers Jr., T.C. Sauer Jr. 1980. A Computer Model to Predict the Short-term Fate of Drilling Discharges in the Marine Environment. In: Symposium on research on the environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Brandsma Engineering. 1991. Simulations of Discharge Scenarios on the Alaskan Outer Continental Shelf. Prepared for *Avanti* Corporation for submission to U.S. EPA, Region 10, Water Management Division. 43 pp.
- Brandsma, M.G. and J.P. Smith. 1996. Dispersion modeling perspectives on the environmental fate of produced water discharges. In: M. Reed and S. Johnses, Eds., *Produced Water 2: Environmental Issues and Mitigation Technologies*. Plenum Press, New York (in press).
- Brannon, A.C. and K.R. Rao. 1979. Barium, Strontium, and Calcium Levels in the Exoskeleton, Hepatopancreas and Abdominal Muscle of the Grass Shrimp *Palaemonetes pugio*: Relation to Molting and Exposure to Barite. *Comp. Biochem. and Phys.*, Vol. 63A, pp. 261-274.
- Brendenhaus, J., S. Johnson, K.H. Bryne, A.L. Gjose, T.H. Eide, and E. Aamot. 1992. Toxicity Testing and Chemical Characterization of Produced Water - A Preliminary Study. In: J.P. Ray and F.R. Engelhardt (Eds.) *Produced Water Technological/Environmental Issues and Solutions*. PennWell Books, New York, NY. pp. 245-256.
- Breteler, R.J., P.D. Boehm, J.M. Neff, and A.G. Requejo. 1983. Acute toxicity of drilling muds containing hydrocarbon additives and their fate and partitioning between liquid, suspended and solid phases. Draft final report to API, Washington, DC. 93 pp.
- Brooks, J.M., E.L. Estes, D.A. Wisenburg, C.R. Schwab, and H.A. Abdel-Reheim. 1980. Investigations of Surficial Sediments, Suspended Particulates and Volatile Hydrocarbons at Buccaneer Gas and Oil Field. In: Volume I - Environmental Assessment of Buccaneer Gas and Oil Field in the Northwestern Gulf of Mexico, 1975-1980. Edited by W.B. Jackson and E.P. Wilkins. NOAA Technical Memorandum NMFS-SEFC-47, Washington, DC.
- Bryan, G.W. 1983. The biological availability and effects of heavy metals in marine deposits. In: *Proc. Ocean Dumping Symposium*. Wiley Interscience, New York.
- Burk, C.J. and J.A. Veil. 1995. Potential Environmental Benefits from Regulatory Consideration of Synthetic Drilling Mud. Argonne National Laboratory Technical Memorandum ANL/EAD/TM-43, February 1995.
- Burns and Roe Industrial Services Corporation. 1983. Data Report for EPA Priority Pollutant Sampling Program Offshore Oil and Gas Program. Prepared for U.S. EPA Effluent Guidelines Division. Evaluation of Analytical Data; Revision February 1983, Vols. I and II.
- Caldwell, D.K., and M.C. Caldwell. 1973. Marine mammals of the eastern Gulf of Mexico. Pages (III 1) 1-23. In: J.I. Jones, R.E. Ring, M.O. Rinkel, and R.E. Smith (eds). *A Summary of Knowledge of the Eastern Gulf of Mexico*. The State University System of Florida, Institute of Oceanography, St. Petersburg, Florida.

- Candler, J.E., A.J.J. Leuterman, and J.H. Rushing. 1993. "Synthetic-Based Mud Systems Offer Environmental Benefits Over Traditional Mud Systems," SPE 25993 presented at SPE/EPA Exploration & Production Environmental Conference held in San Antonio, TX, March 7-10, 1993.
- Candler, J., R. Herbert and A.J.J. Leuterman. 1997. Effectiveness of a 10-day ASTM Amphipod Sediment Test to Screen Drilling Mud Base Fluids for Benthic Toxicity. SPE 37890 Society of Petroleum Engineers Inc. March 1997. 19 pp.
- Cantelmo, F.R., M.E. Tagatz, and K.R. Rao. 1979. Effect of Barite on Meiofauna in a Flow-Through Experimental System. *Marine Environmental Research*, pp. 301-309.
- Capuzzo, J.M. and J.G.S. Derby. 1982. Drilling fluid effects to developmental stages of the American lobster. Report to U.S. EPA, Environmental Research Lab., Gulf Breeze, FL, EPA-600/S4-82-039.
- Carls, M.G. and S.D. Rice. 1980. Toxicity of oil well drilling fluids to Alaskan larval shrimp and crabs. Research Unit 72. Final Rept. Proj. No. R7120822, Outer Continental Shelf Environmental Assessment Program. U.S. Dept. of Interior, BLM, 29 pp.
- Carmody, G. 1991. Letter to J.R. Patrick, U.S. EPA, from G. Carmody, USFWS Concerning NPDES General Permit, Mississippi, Alabama, and Florida. FWS Log No. 4-P- 91-047.
- Carmody, G. 1993. Letter to H.J. Mueller, U.S. EPA, from G. Carmody, USFWS Concerning NPDES General Permit, Mississippi, Alabama, and Florida. FWS Log No. 4-P-93-065. April 23, 1993.
- Carmody, G. 1997. Letter to Heinz J. Mueller, USEPA from G. Carmody, USDO, FWS, regarding FWS Log No. 4-P-93-065, National Pollutant Discharge Elimination System (NPDES) Permits EPA Region 4: Eastern Gulf of Mexico - Offshore MS, AL, FL. February 19, 1997.
- Carr, R.S., L.A. Reitsema, and J.M. Neff. 1980. Influence of a used chrome lignosulfonate drilling mud on the survival, respiration, feeding activity and net growth efficiency of the opposum shrimp *Mysidopsis almyra*. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 944-963.
- Christmas, J.Y. and R. Waller. 1973. Estuarine vertebrates, Mississippi. In: Cooperative Gulf of Mexico estuarine inventory and study - MS. Gulf Coast Research Lab, Ocean Springs, MS. pp. 320-403.
- Collins, L.A., J.H. Finucane, and L.E. Barger. 1980. Description of the larval and juvenile red snapper, *Lutjanus campechanus*. Fishery Bulletin 77(4):9655-74.
- Conklin, P.J., D.G. Doughtie and K.R. Rao. 1980. Effects of barite and used drilling fluids on crustaceans, with particular reference to the grass shrimp, *Palaemonetes pugio*. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 723-738.
- Conklin, P.J., D. Drysdale, D.G. Doughtie, K.R. Rao, J.P. Kakareka, T.R. Gilbert and R.F. Shokes. 1983. Comparative toxicity of drilling fluids: role of chromium and petroleum hydrocarbons. *Marine Environmental Research*. 10:105-125.
- Continental Shelf Associates (CSA). 1983. Monitoring study of exploratory drilling activity at High Island Block A-384. Final Report to Conoco Oil Company.

- CSA. 1986. Southwest Florida Shelf Regional Biological Communities Survey, Marine Habitat Atlas-Year 3, Vol. I Maps. OCS Study/MMS 86-0072.
- CSA. 2000. Deepwater Gulf of Mexico Environmental and Socioeconomic Data Search and Literature Synthesis, Volume 1: Narrative Report. OCS Study/MMS 2000-049. 340 pages.
- CSA. 1993. Measurement of Naturally Occurring Radioactive Materials at Two Offshore Production Platforms in the Northern Gulf of Mexico. Final Report to the American Petroleum Institute, Washington, DC.
- Crawford, R.B. and J.D. Gates. 1981. Effects of drilling fluids on the development of a teleost and an echinoderm. *Bull. Environ. Contam. Toxicol.* 26:207-212.
- Crippen, R.W., S.L. Hood and G. Green. 1980. Metal levels in sediment and benthos resulting from a drilling fluid discharge into the Beaufort Sea. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 636-669.
- Diaz, R.J. and C.P. Onuf. 1985. Habitat suitability index models: juvenile Atlantic croaker (revised). U.S. FWS Biol. Rep. 82(10.98). 23 pp.
- Ditton, R.B. and A.R. Graefe. 1978. Recreational fishing use of artificial reefs on the Texas coast. College Station, TX: Texas A & M University, Department of Recreation and Parks. 155 pp.
- Dodge, R.E. 1982. Effects of Drilling Muds on the Reef-Building Coral *Montastrea annularis*. *Marine Biology*. 71:141-147.
- DOE. 1997. Levels of Naturally Occurring Radioactive Materials, Metals, and Organic compounds in Produced Water, Produced Sand, Receiving Water, Ambient water, Sediment, and Biota on the Texas/Louisiana Shelf. Draft Report to US Dept. of Energy, Barlesville, OK.
- Doneker, R.L. and G.H. Jirka. 1990. Expert System for Hydrodynamic Mixing Aone Analysis of Conventional and Toxic Submerged Single Port Discharges (CORMIX1). Prepared by Cornell University for U.S. EPA, Environmental Research Laboratory, Athens, GA. EPA/600/3-90/012.
- Doneker, R.L. and G.H. Jirka. 1993. Cornell Mixing Zone Expert System (CORMIX v. 2.10). Prepared by Cornell University for U.S. EPA, Environmental Research Laboratory, Athens, GA. May 1993.
- Drake, D.E. 1976. Suspended sediment transport and mud deposition on continental shelves. In: Stanley, D.J. and D.J.P. Swift (eds). *Marine Sediment Transport and Environmental Management*. John Wiley & Sons, New York, NY, p. 127-158. In: Houghton, J.P., K.R. Critchlow, D.C. Lees, R.D. Czapinski. 1981. Fate and Effects of Drilling Fluids and Cuttings Discharges in Lower Cook Inlet, Alaska, and on Georges Bank - Final Report. NOAA, and BLM, Washington, DC.
- Dugas, R., V. Guillory and M. Fischer. 1979. Oil rigs and offshore fishing in Louisiana. *Fisheries* 4(6):2-10.
- Duke, T.W. and P.R. Parrish. 1984. Results of the Drilling Fluids Program Sponsored by the Gulf Breeze Research Laboratory, 1976-1984, and their Application to Hazard Assessment. U.S. EPA, Environmental Research Laboratory, Gulf Breeze, FL. EPA/600/4-84-055.

- Ecomar, Inc. 1978. Tanner Bank fluids and cuttings study. Conducted for Shell Oil Company, January through March, 1977. Ecomar, Inc. Goleta, CA. 95 pp. In: Houghton, J.P., K.R. Critchlow, D.C. Lees and R.D. Czapinski. 1981. Fate and Effects of Drilling Fluids and Cuttings Discharges in Lower Cook Inlet, Alaska, and on Georges Bank - Final Report. NOAA and BLM, Washington, DC.
- EG&G. 1982. A study of environmental effects of exploratory drilling on the Mid-Atlantic OCS - Final Report of the Block 684 Monitoring Program. EG&G, Environmental Consultants, Waltham, MA. Prepared for OOC, Environmental Subcommittee, New Orleans, LA.
- Ehrenfeld, D. 1974. Conserving the edible sea turtle: Can mariculture help? *Am. Sci.* 62(1):23-31.
- Eleuterius, C.K., and S.L. Beaugez. 1979. Mississippi Sound, a hydrographic and climatic atlas. Mississippi-Alabama Sea Grant Consortium MASGP-79-009. Gulf Coast Research Lab, Ocean Springs, MS. 136pp.
- El-Sayed, S.Z. 1972. Primary productivity and standing crop of phytoplankton in the Gulf of Mexico. In: El-Sayed, S.Z. et al., eds. Chemistry, primary productivity and benthic algae of the Gulf of Mexico. Serial atlas of the marine environ., Folio 22. New York, NY: American Geographic Society. pp. 8-13.
- ERT (Environment & Resource Technology Ltd). 1994a. Bioaccumulation potential of ISO-TEQ base fluid. ERT 94/209. Report to Baker Hughes INTEQ, Houston, TX.
- ERT (Environmental & Resource Technology Ltd.). 1994b. Bioconcentration assessment report. Assessment of the bioconcentration factor (BCF) of ISO-TEQ base fluid in the blue mussel *Mytilus edulis*. ERT 94/061. Report to Baker Hughes INTEQ, Houston, TX.
- Etzold, D.J. and Y.J. Christmas. 1979. A comprehensive summary of the shrimp fishery of the Gulf of Mexico, U.S., a regional management plan. Gulf Coast Res. Lab. Tech. Rep. Ser. No. 2, Part 2. 20 pp.
- Flint, R.W. and D. Kamykowski. 1984. Benthic nutrient regeneration in South Texas coastal water. *Estuar. Coast. Shelf. Sci.* 18(2):221-230.
- Flint, R.W. and N.N. Rabalais. 1981. Environmental Studies of a Marine Ecosystem: South Texas Outer Continental Shelf. Univ. Texas Press, Austin. 272 pp.
- Florida Department of Community Affairs (DCA). 1997. Florida Coastal Management Program, 1997 Revision, Florida Coastal Program Guide and Reference Book. Tallahassee, FL.
- Fowler, S.W. 1982. Biological Transfer and Transport Processes. In: Pollutant Transfer and Transport in the Sea, G. Kullenberg, ed. CRC Press, Inc., Boca Raton, FL.
- Friedheim, J.E., G.J. Hans, A. Park and C.R. Ray. 1991. An environmentally superior replacement for mineral-oil drilling fluids. SPE 23062. Pages 299-311 In: The Offshore Europe Conference. Aberdeen, 3-6 September 1991. Society of Petroleum Engineers, Inc. Richardson, TX.
- Fritts, T.H., A.B. Irvine, R.D. Jennings, L.A. Collum, W. Hoffman, and M.A. McGhee. 1983. Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. U.S. FWS, Division of Biological Services, Washington, DC: FWS/OBS-82/65. 455 pp.

- Fruge, D.J., and F.M. Truesdale. 1978. Comparative larval development of *Micropogon undelatus* and *Leiostomus xanthurus* (Pisces: Sciaenidae) from the northern Gulf of Mexico. *Copeia*. 1978(4):643-648.
- FWS, Region 4. 1991. Endangered and Treated Species of the Southeastern United States (The Red Book). February 1991.
- Gallaway, B.J. 1980. Pelagic, reef and demersal fishes and macrocrustaceans/ biofouling communities. In: Jackson, W.B. and E.O. Wilkens (eds). Environmental assessment of Buccaneer gas and oil field in the northwestern Gulf of Mexico, 1975-1978. NOAA technical memorandum NMFS-SEFC-48. Galveston, TX: U.S. DOC, NMFS. 82 pp.
- Gerber, R.P., E.S. Gilfillan, B.T. Page, D.S. Page, and J.B. Hotham. 1980. Short- and long-term effects of used drilling fluids on marine organisms. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 882-911.
- Gerber, R.P., E.S. Gilfillan, J.R. Hotham, L.J. Galletto, and S.A. Hanson. 1981. Further studies on the short- and long-term effect of used drilling fluids on marine organisms. Unpublished. Final Report, Year II to API, Washington, DC., 30 pp.
- Gettleson, D.A. and C.B. Laird. 1980. Benthic barium in the vicinity of six drill sites in the Gulf of Mexico. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Gilbert, T.R. 1981. A study of the impact of discharged drilling fluids on the Georges Bank environment. New England Aquarium, H.E. Edgerton Research Laboratory. Progress Report No. 2 to U.S. EPA, Gulf Breeze, FL, 98 pp.
- Gilbert, T.R. 1982. A survey of the toxicities and chemical compositions of used drilling muds. Annual Report to U.S. Environmental Research Laboratory, Gulf Breeze, FL from Edgerton Research Lab., New England Aquarium, Boston, MA, 31 pp.
- Godcharles, M.F., and M.D. Murphy. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (south Florida) -- king mackerel and Spanish mackerel. U.S. FWS Biological Report 82(11.58). U.S. Army Corps of Engineers, 18 pp.
- Growcock, F.B., S.L. Andrews, and T.P. Frederick. 1994. Physicochemical properties of synthetic drilling fluids. IADC/SPE 27450. Pages 181-190 In: 1994 IADC/SPE Drilling Conference. Dallas, TX, 15-18 February 1994. International Association of Drilling Contractors/Society of Petroleum Engineers, Inc. (IADC/SPE). Richardson, TX.
- Gulf of Mexico Management Council (GMFMC). 1980. Environmental impact statement, fishery mgmt. plan and regul. analysis for the reef fish resources of the Gulf of Mexico. Tampa, FL. 205 pp.
- Gulf of Mexico and South Atlantic Fishery Management Councils (GMSAFMC). 1985. Final Amendment 1, Fishery Management Plan Environmental Impact Statement for the coastal migratory pelagic resources (mackerels). GMFMC, Tampa, FL. SAFMC, Charleston, SC.
- Hall, C.A.S., R.G. Howarth, B. Moore, III, and C.J. Vorosmarty. 1978. Environmental Impacts of Industrial Energy Systems in the Coastal Zone. Annual Review of Energy. 3:395-475.

- Higashi, R.M., G.N. Cherr, C.A. Bergens, and T.W.M. Fan. 1992. An Approach to Toxicant Isolation from a Produced Water Source in the Santa Barbara Channel. In: J.P. Ray and F.R. Engelhardt (Eds.) Produced Water Technological/Environmental Issues and Solutions. PennWell Books, New York, NY. pp. 223-233.
- Hildebrand, H.H. 1987. A Reconnaissance of Beaches and Coastal Waters from the Border of Belize to the Mississippi River as Habitats for Marine Turtles. Prepared under P.O. No. NA-84-CF-A- 134. 63 pp.
- Hirth, H.F. 1971. Synopsis of biological data on the green turtle *Chelonia mydas* (Linnaeus) 1758. FAO Fisheries Synopsis No. 85:1-77.
- Holtzman, R.B. 1969. Concentrations of the naturally occurring radionuclides ^{226}Ra , ^{210}Po in aquatic fauna. In: Proc. 2nd Nat. Symp. Radioecology, U.S. Atomic Energy Commission, Conf. 670503. pp. 535-546.
- Houde, E.D. and N. Chitty. 1976. Seasonal Abundance and Distribution of Zooplankton, Fish Eggs, and Fish Larvae in the Eastern Gulf of Mexico, 1972-1974. Prepared for NMFS, Seattle, WA. NMFS SSRF-701. 18 pp.
- Houghton, J.P., D.L. Beyer, and E.D. Thielk. 1980. Effects of oil well drilling fluids on several important Alaskan marine organisms. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 1017-1043.
- Houghton, J.P., K.R. Critchlow, D.C. Lees, R.D. Czapinski. 1981. Fate and Effects of Drilling Fluids and Cuttings Discharges in Lower Cook Inlet, Alaska, and on Georges Bank - Final Report. U.S. DOC, NOAA, and the U.S. Department of Interior, BLM, Washington, DC.
- Houghton, J.P., R.P. Britch, R.C. Miller, A.K. Runchal, and C.P. Falls. 1980. Drilling Fluid Dispersion Studies at the Lower Cook Inlet C.O.S.T. Well. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Hudson, J.H. and D.M. Robbin. 1980. Effect of Drilling Mud on the Growth Rate of the Reef-Building Coral, *Montastrea annularis*. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Hughes, G.R. 1982. Nesting cycles in sea turtles--typical or atypical? In: K.A. Bjorndal (ed). Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington, DC. pp 81-89.
- Hunt, C.D. and D.L. Smith. 1983. Remobilization of metals from polluted marine sediments. *Can. Journal Fish Aquat. Sci.* 40:132-142.
- Iverson, R.L. and T.L. Hopkins. 1981. A summary of knowledge of plankton production in the Gulf of Mexico: Recent Phytoplankton and Zooplankton research. Proceedings of a Symposium on Environmental Research Needs in the Gulf of Mexico (GOMEX), Key Biscayne, FL, 30 September - 5 October, 1979.
- Jannke, T.E. 1971. Abundance of young sciaenid fishes in Everglades National Park, Florida, in relation to season and other variables. University of Miami, Sea Grant Program Technical Bulletin, no. 11. University of Miami Sea Grant Program, Miami, FL. 128 pp.

- Jenne, E.A. and S.N. Luoma. 1977. Forms of trace elements in soils, sediments, and associated waters: An overview of their determination and biological availability. Pages 110-143. In: H. Drucker and R.E. Wildung (eds.), *Biological Implications of Metals in the Environment*.
- Jensen, A., Eimhjellen, K., Raasok, K., Saetersdal, G., Wedege, N.P., and Ostvedt, O.J. 1984. The fate of oil and its effect in the sea: summary of final report from the Norwegian marine pollution research and monitoring programme. Oslo, Norway: Harald Lyche & Co. A.S. 20 pp.
- Johnson, C.D. 1978. Development of fishes of the mid-Atlantic Bight: an atlas of egg, larval and juvenile stages, Part IV: Carangidae through Ephippidae. U.S. FWS, Office of Biological Sciences. FWS/OBS-78/12. 314 pp.
- Jones, F.V., J.H. Rushing, and M.A. Churan. 1991. The chronic toxicity of mineral oil-wet and synthetic liquid-wet cuttings on an estuarine fish, *Fundulus grandis*. SPE 23497. Pages 721-730 In: The First International Conference on Health, Safety and Environment. Hague, The Netherlands, 10-14 November 1991. Society of Petroleum Engineers, Inc. Richardson, TX.
- Juhl, R., E.J. Guthery, S.B. Drummond, C.M. Roithmayr, and J.A. Benigno. 1975. Oceanic resources and assessment task, status report. NMFS, Southeast Fisheries Center, Pascagoula, MS. 32 pp.
- Kendall, J.J., Jr., E.N. Powell, S.J. Connor and T.J. Bright. 1983. The Effects of Drilling Fluids (muds) and Turbidity on the Growth and Metabolic State of the Coral *Acropora cervicornis* with Comments on Methods of Normalization for Coral Data. *Bull. Mar. Sci.*, 33(2):336-352.
- Kennish, M.J. (ed.). 1989. *Practical Handbook of Marine Science*. CRC Press Inc. Boca Raton, FL. 710 pp.
- Krause, P.R., C.W. Osenberg, and R.J. Schmitt. 1992. Effects of Produced Water on Early Life Stages of a Sea Urchin: Stage-Specific Responses and Delayed Expression. In: J.P. Ray and F.R. Engelhardt, Eds. *Produced Water*. Plenum Press, New York. pp. 431-444.
- Krone, M.A. and D.C. Biggs. 1980. Sublethal Metabolic Responses of the Hermatypic Coral *Madracis decactis* Exposed to Drilling Mud Enriched with Ferrochrome Lignosulfonate. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Larson, S.C., M.J. Van Den Vyle, and E.L. Bozeman, Jr. 1989. Species Profiles: Life histories and Environmental Requirements of Coastal and Invertebrates (South Atlantic)--Brown Shrimp. Prepared for U.S. Army Corp of Engineers and U.S. FWS. Biological Report 82(11.90), TR-EL-82-4.
- Lassuy, D.R. 1983. Species profiles: life histories and environmental requirements (Gulf of Mexico) -- Atlantic croaker. U.S. FWS, Division of Biological Services. FWS/OBS-82/11.3. U.S. Army Corps of Engineer, TR EL-82-4. 12 pp.
- Leatherwood, S. and M.F. Platter. 1975. Aerial assessment of bottlenose dolphins off Alabama, Mississippi, and Louisiana. In: *Tursiops truncatus* assessment workshop, Miami, FL, June 23, 1975. Miami, FL: Rosentiel School of Marine and Atmospheric Science, University of Miami; Appendix V, pp. 49-86 (UM-RSMAS-75042).
- Leatherwood, S., D.K. Caldwell, and H.E. Winn. 1976. Whales, Dolphins, and Porpoises of the Western North Atlantic: A guide to their identification. NOAA Tech. Rep. NMFS Circ. 396: 1-176.

- Leipper, D.F., 1970. A sequence of current patterns in the Gulf of Mexico. *Jour. Geo. Res.* 75(3): 637-657.
- Leuterman, A.J.J. 1991. Environmental considerations in M-I product development. Novasol/Novadril. M-I Drilling Fluids Co., Houston, TX.
- LimnoTech, Inc. 1993. Recommendation of Specific Models to Evaluate Mixing Zone Impacts of Produced Water Discharges to the Western Gulf of Mexico Outer Continental Shelf. Prepared for U.S. EPA Office of Wastewater Enforcement and Compliance. 22 pp.
- Lindberg, W.J. and M.J. Marshall. 1984. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Stone Crab. Prepared for U.S. Army Corps. of Engineers and U.S. FWS. FWS/OBS-82/11.21, TR EL-82-4.
- Liss, R.G., F. Knox, D. Wayne, and T.R. Gilbert. 1980. Availability of Trace Elements in Drilling Fluids to the Marine Environment. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Loman, M. 1978. Other finfish. In: J.Y. Christmas (ed.), Fisheries assessment and monitoring, Mississippi, Gulf Coast Research Laboratory Report, P.L. 88-309, 2-215-R. Gulf Coast Research Laboratory, Ocean Springs, MS.
- Lorio, W.J., and W.S. Perret. 1980. Biology and ecology of the spotted seatrout (*Cynoscion nebulosus* Cuvier). In: R.O. Williams, J.E. Weaver, and F.A. Kulber, eds. Proceedings: colloquium on the biology and management of the red drum and seatrout. Gulf States Mar. Fish. Comm. No. 5. pp. 7-13.
- Lowery, G.H., Jr. 1974. The Mammals of Louisiana and Its Adjacent Waters. Louisiana State University Press, Baton Rouge, Louisiana. 565 pp.
- Luoma, S.N. 1983. Bioavailability of trace metals to aquatic organisms: A review. *Sci. Tot. Environ.* 28:1-22.
- Lyes, M.C. 1979. Bioavailability of hydrocarbon from water and sediments to the marine worm *Arenicola marina*. *Mar. Biol.* 55: 121-127.
- Mager, A. 1985. Five-year Status Reviews of Sea Turtles Listed under the Endangered Species Act of 1973. NOAA/NMFS, Petersburg, Florida. 90 pp.
- Mariani, G.M., L.V. Sick, and C.C. Johnson. 1980. An Environmental Monitoring Study to Assess the Impact of Drilling Discharges in the Mid-Atlantic. Report 3, Chemical and Physical Alterations in the Benthic Environment. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Marine Mammal Commission. 1988. Annual Report of the Marine Mammal Commission, Calendar Year 1987, A Report to Congress. Washington, DC. 209 pp.
- Marx, J.M. and W.F. Herrnkind. 1986. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Spiny Lobster. Prepared for U.S. Army Corps of Engineers and USFWS. Biological Report 82(11.61), TR EL-82-4.

- Maul, G.A., 1977. The annual cycle of the Gulf Loop Current, Part 1: Observations during a one-year time series. *Jour. Mar. Res.* 35(1):29-47.
- McCain, B.B., H.O. Hodgins, W.D. Gronlund, J.W. Hawkes, D.W. Brown, M.S. Myers, and J.J. Vandermuellen. 1978. Bioavailability of crude oil from experimentally oiled sediments to English sole (*Parophrys vetulus*), and pathological consequences. *J. Fish. Res. Board Canada.* 35:657-664.
- McClane, A.J., ed. 1974. McClane's new standard fishing encyclopedia and international angling guide. Holt, Reinhart and Winston, New York, NY. 1156 pp.
- McCulloch, W.L., J.M. Neff, and R.S. Carr. 1980. Bioavailability of Selected Metals from Used Offshore Drilling Muds to the Clam *Rangia cuneata* and the Oyster *Crassostrea gigas*. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- McEachran, J.D., J.H. Finucane, and L.S. Hall. 1980. Distribution, seasonality, and abundance of king and Spanish mackerel larvae in the northeastern Gulf of Mexico (Pisces: Scombridae). *Northeast Gulf Sci.* 4(1):1-16.
- Meade, R.H. 1972. Transport and Deposition of Sediments in Estuaries. Environmental Framework of Coastal Plain Estuaries. Geol. Society Am. Mem., B. Nelson (ed) 33:91-120.
- Means, J.C., C.S. Milan, and D.J. McMillin. 1990. Hydrocarbon and trace metal concentrations in produced water effluents and proximate sediments. pp. 94-199 In: K.M. St. Pe, Ed., An Assessment of Produced Water Impacts to Low-Energy, Brackish Water Systems in Southeast Louisiana. Report to Louisiana Dept. of Environmental Quality, Water Pollution Control Div., Lockport, LA.
- Meek, R.P., and J.P. Ray. 1980. Induced sedimentation, accumulation, and transport resulting from exploratory drilling discharges of drilling fluids and cuttings. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 259-284.
- Menzie, C.A. 1982. The environmental implications of offshore oil and gas activities. *Environ. Sci. Technol.* 16:454A-472A.
- Menzie, C.A., D. Maurer, and W.A. Leatham. 1980. An Environmental Monitoring Study to Assess the Impact of Drilling Discharge in the Mid-Atlantic. Report 4, The Effects of Drilling Fluids and Cuttings. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Middleditch, B.S. 1980. Hydrocarbons, Biocides, and Sulfurs. In: Volume 5 - Environmental Assessment of Buccaneer Gas and Oil Field in the Northwestern Gulf of Mexico, 1975-1980, edited by W.B. Jackson and E.P. Wilkins. NOAA Technical Memorandum NMFS-SEFC-47, NOAA, Washington, DC.
- Middleditch, B.S. 1981. Environmental Effects of Offshore Oil Production - The Buccaneer Gas and Oil Field Study. Plenum Press, NY. 446 pp.
- Middleditch, B.S. 1984. Ecological effects of produced water discharges from offshore oil and gas production platforms. Final Report on API Project No. 248. API, Washington, DC. 160 pp.

- Minerals Management Service (MMS). 1982. Draft regional environmental impact statement, Gulf of Mexico. U.S. DOI, MMS, Gulf of Mexico OCS Region, Metairie, LA. 735 pp.
- MMS. 1983. Final regional environmental impact statement. Proposed OCS oil and gas lease sales 72, 74, and 79 (Central, Western, and Eastern Gulf of Mexico). Vol. 1, PB84-102805. U.S. Department of the Interior, Washington, DC. xxxv + 527 pp.
- MMS. 1986. "Physical Oceanography of the Gulf of Mexico." Visual No. 7, Figures 5A; 6A-D; and 9A, B, and E.
- MMS. 1990. Draft environmental impact statement. Gulf of Mexico Sales 131, 135, and 137: Central Western and Eastern Planning Areas. Gulf of Mexico OCS Region Office. MMS 90-0003.
- MMS. 2000. Gulf of Mexico OCS Oil and Gas Lease Sale 181 Eastern Planning Area, Draft Environmental Impact Statement. Gulf of Mexico Regional Office. MMS 2000-077.
- MMS. 2000. Environmental Assessment. Gulf of Mexico Deepwater Operations and Activities. Gulf of Mexico OCS Region Office. MMS 2000-001.
- Mobil Oil Corporation. 1978. Monitoring Program for Wells #3 and #4 Lease OCG-G-2759, Block A-389 High Island Area, East Addition South Extension. Prepared by Continental Shelf Assoc. Volume I Technical Section. 162 pp.
- Moffett, A.W., L.W. McEachran and J.G. Key. 1979. Observations on the biology of sand seatrout, (*Cynoscion arenarius*), in Galveston and Trinity Bays, TX. *Contributions in Marine Science*. 22:163-72.
- Moffitt, C.M., M.R. Rhea, P.B. Dorn, J.F. Hall, J.M. Bruney, and S.H. Evans. 1992. Short-Term Chronic Toxicity of Produced Water and its Variability as a Function of Sample Time and Discharge Rate. In: J.P. Ray and F.R. Engelhardt (Eds.) Produced Water Technological/Environmental Issues and Solutions. PennWell Books, New York, NY. pp. 235-244.
- Montgomery, R.M. 1987. Personal communication concerning research conducted at U.S. EPA/ERL Gulf Breeze. Seven drilling fluid samples submitted from coastal TX and LA.
- Moore, P.L. 1986. Drilling Practices Manual. Second Edition. PennWell Books, Tulsa, OK. 586 pp.
- Moore, W.S., S. Krishnaswami and S.G. Bhat. 1973. Radiometric determination of coral growth rates. *Bull. Mar. Sci.* 23:157-176.
- Moran, D. 1988. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Red Snapper. Prepared for U.S. Army Corps of Engineers and U.S. FWS. Biological Report 82(11.83), TR EL-82-4.
- Mrosovsky, N. 1983. Conserving Sea Turtles. British Herpetological Society, London. 176 pp.
- Mullin, K., W. Hoggard, C. Roden, R. Lohofener, C. Rogers, and B. Taggart. 1991. Cetaceans on the upper continental slope in the north-central Gulf of Mexico. OCS Study/MMS 91-0027. U.S. Dept. of the Interior, MMS, Gulf of Mexico OCS Regional Office. New Orleans, LA. 108 pp.

- Muncy, R.J. and W.M. Wingo. 1983. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Sea Catfish and Gafftopsail Catfish. Prepared for U.S. Army Corps of Engineers and U.S. FWS. FWS/OBS-82/11.5, TR EL-82-4.
- Muncy, R.J. 1984a. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--White Shrimp. Prepared for U.S. Army Corps of Engineers and U.S. FWS. FWS/OBS-82/11.20, TR EL-82-4.
- Muncy, R.J. 1984b. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Pinfish. Prepared for U.S. Army Corps of Engineers and U.S. FWS. FWS/OBS-82/11.26, TR-EL-82-4.
- NAS (National Academy of Sciences). 1975. Petroleum in the marine environment: Workshop on inputs, fates and the effects of petroleum in the marine environment. Airlie, VA; May 1973. NAS, Washington, DC. 107 pp.
- National Oceanic and Atmospheric Administration (NOAA). 1961-1986. Data Service, National Climate Center. U.S. Department of Commerce, NOAA.
- NOAA. 1975. Environmental Studies of the South Texas Outer Continental Shelf, 1975. Report to the BLM, I.A. #08550-IA5-19. Volume I.
- NOAA. 1985. Gulf of Mexico coastal and ocean zones strategic assessment: Data atlas. U.S. Department of Commerce, NOAA, Ocean Assessments Division, Rockville, MD.
- NOAA. 1986. Proposed Secretarial Fish. Mgmt. Plan, Regulatory Impact Review, Initial Regulatory Flexibility Analysis and Draft EIS for the Red Drum Fishery of the Gulf of Mexico.
- NOAA. 1991. NOAA Technical Report NMFS 98: Marine Mammal Strandings in the United States.
- National Marine Fisheries Service (NMFS). 1987. Fisheries of the United States, 1986. U.S. Dept. of Commerce, NOAA, NMFS, Washington, DC. Current Fisheries Statistics No. 8385. 119 pp.
- NMFS. 1987. Final Supplement to the Final Environmental Impact Statement Listing and Protecting the Green Sea Turtle, Loggerhead Sea Turtle, and Pacific Ridley Sea Turtle Under the Endangered Species Act of 1973. NOAA/NMFS.
- NMFS. 1997. Fisheries of the United States, 1996. U.S. Department of Commerce, NOAA, NMFS, Washington, D.C. Current Fishery Statistics No. 9600. 169 pp.
- NMFS. 1998. Fisheries Statistics and Economics Division. Fisheries Statistics. Available [Online]: <http://remora.ssp.nmfs.gov>.
- National Research Council (NRC). 1983. Drilling Discharges into the Marine Environment. National Academy Press, Washington, DC. 180 pp.
- Neff, J.M., R.S. Foster, and J.F. Slowey. 1978. Availability of sediment-adsorbed heavy metals to benthos with particular emphasis on deposit feeding infauna. Technical Report D-78-42 to U.S. Army Engineer Waterways Experiment Station, Dredge Material Program, Vicksburg, MS. 286 pp.
- Neff, J.M. 1979. Polycyclic Aromatic Hydrocarbons in the Aquatic Environment: Sources, Fates, and Biological Effects. Applied Science Publ., Barking Essex, England. 262 pp.

- Neff, J.M. 1980. Effects of Used Drilling Fluids on Benthic Marine Animals. Publ # 4330. API, Washington, DC.
- Neff, J.M. 1982. Accumulation and release of polycyclic aromatic hydrocarbons from water, food, and sediment by marine animals. pp. 282-320. In: N.L. Richards and B.L. Jackson (eds.) Symposium: Carcinogenic Polynuclear Aromatic Hydrocarbons in the Marine Environment. USEPA, Gulf Breeze, FL. EPA-600/9-82-013.
- Neff, J.M. 1985. Biological effects of drilling fluids, drill cuttings, and produced waters. in: D.F. Boesch and N.N. Rabalais (eds.). The Long-Term Effects of Offshore Oil and Gas Development: an Assessment and Research Strategy. Report to NOAA, National Marine Pollution Program Office for the Interagency Committee on Ocean Pollution Research, Development, and Monitoring. Prepared by LUMCON, Chauvin, LA.
- Neff, J.M., R.E. Hillman, B. Leczynski, and T. Berner. 1986. Final Report on Bioavailability of Trace Metals from Barite to Benthic Marine Organisms. Prepared for the OOC. 41 pp.
- Neff, J.M., T.C. Sauer, N. Maciolek. 1988. Fate and Effects of Produced Water Discharges in Nearshore Marine Waters. Final Report to API, Washington, DC. 300 pp.
- Neff, J.M., W.E. Hillman, and J.J. Waugh. 1989. Bioaccumulation of trace metals from drilling mud barite by marine animals. In: F.R. Engelhardt, J.P. Ray, and A.H. Gillam, Eds. Drilling Wastes. Elsevier Applied Science Publishers, London. pp. 461-479.
- Neff, J.M., T.C. Sauer, Jr., and N. Maciolek. 1992. Composition, ate and effects of produced water discharges to nearshore marine waters. pp. 371-386 In: J.P. Ray and F.R. Engelhardt, Eds., Produced Water: Technological/Environmental Issues. Plenum Press, New York.
- Neff, J.M. 1997. Metals and Organic Chemicals Associated with Oil and Gas Well Produced Water: Bioaccumulation, Fates, and Effects in the Marine Environment. Draft Report to the OOC, New Orleans, LA. As cited in OOC comments on propose permit.
- Neff, J.M., S. McKelvie and R.C. Ayers, Jr. 2000. Environmental Impacts of Synthetic Based Drilling Fluids. Report prepared by Robert Ayers & Associates, Inc. August 2000. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico Region, New Orleans, LA. OCS Study MMS 2000-64. 118 pp.
- Nelson, D.A., et al. 1976. Biological effects of heavy metals on juvenile bay scallops, *Argopecten irradians*, in short term exposures. *Bull. Environ. Contam. Toxicol.* 16:275. In: U.S. EPA. 1985. Ambient Water Quality Criteria for Arsenic - 1984. U.S. EPA, Washington, D.C. EPA 440/5-84-033.
- New England Aquarium (NEA). 1984. A Survey of Toxicity of Chemical Composition of Used Drilling Muds. Final Report to the U.S. EPA. Coop. Agreement No. CR806776. January 1984.
- Ng, A. and C.C. Patterson. 1982. Changes of lead and barium with time in California offshore basin sediments. *Geochem. Cosmochem. Acta.* 46(11):2307-2321.
- Northern Technical Services. 1983. Open-water drilling effluent disposal study. Tern Island, Beaufort Sea, Alaska. Report for Shell Oil Co. from Northern Technical Services, Anchorage, AK. 87 pp.

- Nulton, C.P. and D.E. Johnson. 1981. Aromatic Hydrocarbons in Marine Tissues from the Central Gulf of Mexico. *Journal of Environmental Science and Health*, A16(37):271-288.
- Odum, E.P. 1971. Fundamentals of Ecology, 3rd Edition. W.B. Saunders, Philadelphia, PA. In: Kennish, M.J. (ed.). 1989. Practical Handbook of Marine Science. CRC Press Inc. Boca Raton, FL. 710 pp.
- Olla, B.L., W.W. Steiner, and J.J. Luczkovich. 1982. Effects of drilling fluids on the behavior of the juvenile red hake, *Urophycis chuss* (Walbaum). II. Effects on established behavioral baselines. Progress Report to U.S. EPA, Gulf Breeze, Florida. Report No. SHL 82-15 from NOAA/NMFS, Northeast Fisheries Center, Sandy Hook Laboratory, NJ.
- O'Meara, T.E. and W.R. Marion. 1985. Status and Survey of the Cape Sable Seaside Sparrow in East Everglades, Florida. Final Report Submitted to U.S. Army Corps of Engineers and Endangered Species Field Office. USFWS from Florida Cooperative Fish and Wildlife Research Unit, USFWS.
- Ortner, P.B., R.L. Ferguson, S.R. Piotrowicz, L. Chesal, G. Berberian, and A.V. Palumbo. 1984. Biological consequences of hydrographic and atmospheric advection within the Gulf Loop Intrusion. Deep-Sea Research. Vol. 31, no. 94:1101-1120.
- Page, O.S., B.T. Page, J.R. Hotham, E.S. Gilfillan and R.P. Gerber. 1980. Bioavailability of Toxic Constituents of Used Drilling Muds. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washinton, DC.
- Patrick, L. 1993. Personal Communication with Lorna Patrick, USFWS by Valerie Whalon, *Avanti* Corporation, June 15, 1993 concerning the Gulf of Mexico sturgeon. USFWS, Panama City, FL.
- Perricone, C. 1980. Major Drilling Fluid Additives--1979. In: Symposium on Research on Environmental Fate and Effects of Drilling Fluids and Cuttings. Lake Buena Vista, FL. January, 1980. API, Washington, DC. pp. 15-29.
- Perry, H.M. and T.D. McIlwain. 1986. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Blue Crab. Prepared for U.S. Army Corps of Engineers and U.S. FWS. Biological Report 82(11.55), TR EL-82-4.
- Petrazzuolo, G. 1981. An Environmental Assessment of Drilling Fluids and Cuttings Released onto the OCS for the Gulf of Mexico - Draft. U.S. EPA, Office of Water Enforcement and Permits, Washington, DC.
- Petrazzuolo, G. 1983. Environmental Assessment of Drilling Fluids and Cuttings Discharge on the OCS. Draft Final Report. U.S. EPA, Office of Water Enforcement and Permits, Washington, DC.
- Powell, E.N., M. Kasschau, E. Che, M. Loenig, and J. Peron. 1982. Changes in the free amino acid pool during environmental stress in the gill tissue of oyster, *Crassostrea virginica*. Comp. Biochem. Physiol. 71A:591-598.
- Pritchard, P.C.H. 1979. Encyclopedia of Turtles. T.F.H. Publications, New Jersey and Hong Kong. pp 672-747.
- Pritchard, P.C.H. 1983. Leatherbacks. Paper presented at Third Annual Sea Turtle Research Workshop, 7-8 April 1983, Charleston, South Carolina.

- Rabalais, N.N., 1986. Oxygen-depleted waters on the Louisiana continental shelf. Proceedings of the MMS, Information Transfer Meeting, November 4-6, 1986. 4 pp.
- Rabalais, N.N., M.J. Dagg, and D.F. Boesch, 1985. Nationwide Review of Oxygen Depletion and Eutrophication in Estuarine and Coastal Waters: Gulf of Mexico (Alabama, Mississippi, Louisiana and Texas). Report to NOAA, Ocean Assessments Division. 60 pp.
- Rabalais, S.C. 1987. The Effect of Dredging Activities on Sea Turtles in Louisiana/Texas. Louisiana Universities Marine Consortium, Chauvin, Louisiana. 26 pp.
- Rabalais, N.N., B.A. McKee, D.J. Reed, and J.C. Means. 1991. Fate and effects of nearshore discharges of OCS produced waters. Vol. 1: Executive Summary. Vol. 2: Technical Report. Vol. 3: Appendices. OCS Studies MMS 91-004, MMS 91-005, and MMS 91-006. USDO, MMS, Gulf of Mexico OCS Regional Office, New Orleans, LA.
- Rabalais, N.N., B.A. McKee, D.J. Reed, and J.C. Means. 1992. Fate and Effects of Produced Water Discharges in Coastal Louisiana, Gulf of Mexico, USA. In: J.P. Ray and F.R. Engelhart (Eds.). Produced Water Technological/Environmental Issues and Solutions. Plenum Press, New York, NY. pp. 355-369.
- Rabke S. et al. 1998a. Interlaboratory Comparison of a 96-hour *Mysidopsis bahia* Bioassay Using a Water Insoluble Synthetic-Based Drilling Fluid. Presented at 19th Annual Meeting of Society of Environmental Toxicology and Chemistry Charlotte NC 1998.
- Ray, J.P. and R.P. Meek. 1980. Water Column Characterization of Drilling Fluids Dispersion from an Offshore Exploratory Well on Tanner Bank. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Raymond, P.W. 1985. Update on sea turtle monitoring aboard the COE hopper dredge McFarland and private contract dredge Sugar Island in the Port Canaveral navigation channel. Unpublished report to the NMFS, Southeast Region, St. Petersburg, Florida.
- Renaud, M.L., 1985. Hypoxia in Louisiana coastal waters during 1983: Implications for fisheries. *Fishery Bulletin* 84(1):19-26.
- Roach, R.W., R.S. Carr, and C.L. Howard. 1992. An Assessment of Produced Water Impacts at Two Sites in the Galveston Bay System. U.S. Fish and Wildlife Service, Division of Ecological Services, Houston, TX.
- Robinson, M.K. 1973. Atlas of monthly mean sea surface and subsurface temperature and depth of the top of the thermocline Gulf of Mexico and Caribbean Sea. Scripps Inst. of Ocean., Reference 73-8, 12 pp + 93 figures. In: MMS. 1990. Draft environmental impact statement. Gulf of Mexico Sales 131, 135, and 137: Central Western and Eastern Planning Areas. Gulf of Mexico OCS Region Office. MMS 90-0003.
- Roesijadi, G., J.W. Anderson, and J.W. Blaylock. 1978. Uptake of hydrocarbons from marine sediments contaminated with Prudoe Bay crude oil: Influence of feeding type of test species and availability of polycyclic aromatic hydrocarbons. *J. Fish. Res. Bd. Canada*. 35:608-614.

- Roithmayr, C.M., and R.A. Waller. 1983. Seasonal occurrence of *Brevoortia patronus* in the northern Gulf of Mexico. *Trans. Am. Fish. Soc.* 92(3):301-302.
- Rose, C.D., and T.J. Ward. 1981. Acute toxicity and aquatic hazard associated with discharge formation water. Pages 301-328 In: B.S. Middleditch (ed.), *Environ. Effects of Offshore Oil Production. The Buccaneer Gas and Oil Field Study*. Plenum Press, NY.
- Rossi, S.S. 1977. Bioavailability of petroleum hydrocarbon from water, sediments, and detritus to the marine annelid *Neanthes arenaceodentata*. In: *Proceedings 1977 Oil Spill Conference (Prevention, Behavior, Control, Cleanup)*. API, Washington, DC. pp. 621-626.
- Rubenstein, N.I., R. Rigby, and C.N. D'Asaro. 1980. Acute and sublethal effects of whole used drilling fluids on representative estuarine organisms. In: *Symposium on research on environmental fate and effects of drilling fluids and cuttings*. Lake Buena Vista, FL, January 1980. API, Washington, DC. pp. 828-848.
- Rushing, J.H., M.A. Churan, and F.V. Jones. 1991. Bioaccumulation from mineral oil-wet and synthetic liquid-wet cuttings in an estuarine fish, *Fundulus grandis*. SPE 23350. Pages 311-320 In: *The First International Conference on Health, Safety and Environment*. The Hague, The Netherlands, 10-14 November 1991. Society of Petroleum Engineers, Inc. Richardson, TX.
- Sauer, T.C., Jr., T.J. Ward, J.S. Brown, S. O'Neill, and M.J. Wade. 1978. Volatile liquid hydrocarbons in the surface coastal waters of the Gulf of Mexico. *Mar. Chem.* 7:1-16.
- Sauer, T.C., Jr. 1980. Volatile liquid hydrocarbons in waters of the Gulf of Mexico and Caribbean Sea. *Limnol. Oceanog.* 25:338-351.
- Sauer, T.C., Jr., T.J. Ward, J.S. Brown, S. O'Neill, and M.J. Wade. 1992. Identification of Toxicity in Low-TDS Produced Waters. In: J.P. Ray and F.R. Engelhardt (Eds.) *Produced Water Technological/Environmental Issues and Solutions*. PennWell Books, New York, NY. pp. 209-222.
- Saunders, R.P., and D.A. Glenn. 1969. Diatoms. *Mem. Hourglass Cruises*. Florida Marine Research Publications Series. 119 pp.
- Schaanning, M.T. 1996. Environmental Fate of Synthetic Drilling Fluids from Offshore Drilling Operations. NIVA rapport nr. 3429-96.
- Schafer, H.A., G.P. Hershelman, D.R. Young, and A.J. Mearns. 1982. Contamination in ocean food webs. p. 17-28. In: W. Bascom (ed.) *SCCWRP Biennial Rep. 1981-1982*.
- Schmidly, D.J. 1981. Marine mammals of the southeastern United States coast and the Gulf of Mexico. U.S. FWS, Office of Biological Services, Washington, DC. 163 pp. FWS/OBS-80/41.
- SAIC. 1991. Descriptive Statistics and distributional Analysis of Cadmium and Mercury Concentrations in Barite, Drilling Fluids, and Drill Cuttings from the API/USEPA Metals Database. Prepared for Industrial Technology Division, U.S. Environmental Protection Agency, February 1991.
- SAIC. 1992. Discharge Characterization Spreadsheets. Submitted to Office of Science and Technology, U.S. EPA, Washington, DC.

- Sharp, J.R., R.S. Carr, and J.M. Neff. 1984. Influence of used chrome lignosulfonate drilling and fluids on the early life history of the mummichog *Fundulus heteroclitus*. In: Proc. Ocean Dumping Symposium. John Wiley & Sons, New York. 14 pp.
- Shlossman, P.A. 1980. Aspects of the life history of the sand seatrout, *Cynoscion arenarius*, in the Gulf of Mexico. M.S. Thesis, Texas A&M University, College Station, Texas. 75 pp.
- Simmons, E.G., and J.P. Breuer. 1962. A study of redfish, *Sciaenops ocellata* (Linnaeus) and black drum, *Pogonia cromis* (Linnaeus). Publication of the Inst. of Mar. Sci. 8:184-211.
- Smith, G.B. 1976. Ecology and Distribution of Eastern Gulf of Mexico Reef Fishes. Florida Marine Research Publication No. 19.
- Smith, D.G. 1980. Early larvae of the tarpon, *Megalops atlantica* Valenciennes (Pisces: Elopidae), with notes on spawning in the Gulf of Mexico and the Yucatan channel. *Bulletin of Marine Sciences*. 39(1):136-141.
- Smith, G.G. (ed.) 1981. Cambridge Encyclopedia of Earth Sciences. Cambridge University Press, Cambridge. In: Kennish, M.J. (ed.). 1989. Practical Handbook of Marine Science. CRC Press Inc. Boca Raton, FL. 710 pp.
- Smith, J.P. 1993. Field Observations of Dilution of Radium-226 from Produced Water Discharges - Comparison with Dispersion Model Predictions. Report to the Offshore Operators Committee.
- Smith, J.P., H.L. Mairs, M.G. Brandsma, R.P. Meek, and R.C. Ayers. 1994. Field Validation of the Offshore Operators Committee (OOC) Produced Water Discharge Model. SPE Paper 28350. SPE 69th Annual Technical Conference and Exhibit, New Orleans, LA. Society of Petroleum Engineers, Richardson, TX.
- Smith, L.H. 1990. The Saltmarsh Vole. *Florida Naturalist*. 63(4):5-8.
- Somerville, H.J., D. Bennett, J.N. Davenport, M.S. Holt, A. Lymes, A. Mahieu, B. McCourt, J.G. Parker, R.R. Stephenson, R.J. Watkinson, and T.G. Wilkinson. 1987. Environmental effects of produced water from North Sea oil operations. *Mar. Pollut. Bull.* 18:549-558.
- Stephenson, M.T., R.C. Ayers, L.J. Bickford, D.D. Caudle, J.T. Cline, G. Cranmer, A. Duff, E. Garland, T.A. Herenius, R.P.W.M. Jacobs, C. Inglesfield, G. Norris, J.D. Petersen, and A.D. Read. 1994. North sea produced water: fate and effects in the marine environment. Report No. 2.62/204. E&P Forum, London, England. 48 pp.
- Steidinger, K.A., and J. Williams. 1970. Dinoflagellates. Mem. Hourglass Cruises. Florida Marine Research Publications Series. 225 pp.
- Steinhauer, M., E. Creelius, and W. Steinhauer. 1994. Temporal and spatial changes in the concentrations of trace metals in the vicinity of an offshore oil-production platform. *Mar. Environ. Res.* 37:129-163.
- Stevens, L. 1993. Letter to H.J. Mueller, U.S. EPA, Region 4 regarding endangered species in Mississippi, Alabama, and Florida from L. Stevens, NMFS. March 25, 1993.

- Strømgren, T., S.E. Sørstrøm, L. Schou, I. Kaarstad, T. Aunaas, O.G. Brakstad, and Ø. Johansen. 1995. Acute toxic effects of produced water in relation to chemical composition and dispersion. *Mar. Environ. Res.* 40:147-169.
- Sutter, F.C., R.S. Waller, and T.D. McIlwain. 1986. Species Profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico)--Black Drum. Prepared for U.S. Army Corps of Engineers and U.S. FWS. Biological report 82(11.51), TR EL-82-4.
- Tagatz, M.E., J.M. Ivey, H.K. Lehman, M. Tobia, and J.L. Oglesby. 1980. Effects of Drilling Mud on Development of Experimental Estuarine Macrobenthic Communities. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Tagatz, M.E. and M. Tobia. 1978. Effect of Barite (BaSO_4) on Development of Estuarine Communities. *Estuarine and Coastal Marine Science*, 7:401-407.
- Technical Resources, Inc. 1988. Analysis of Effluent Dispersion Models Potentially Applicable to Shallow Water Discharges from Oil and Gas Activities. Prepared for U.S. EPA, Region 6, Dallas, TX. 43 pp.
- Temple, R.F., D.L. Harrington, and J.A. Martin. 1977. Monthly Temperature and Salinity Measurements of Continental Shelf Waters of the Northwestern Gulf of Mexico, 1963-1965. NOAA Tech. Rep. SSRF-707. 29 pp.
- Terrens, G.W. and R.D. Tait. 1993. Effects on marine environment of produced formation water discharges from Esso/BHPP's Bass Strait Platforms. Esso Australia Ltd., Melbourne, Australia. 25 pp.
- Terrens, G.W. and R.D. Tait. 1996. Monitoring ocean concentrations of aromatic hydrocarbons from produced formation water discharges to Bass Strait, Australia. SPE 36033. Proceedings of the International Conference on Health, Safety & Environment. Society of Petroleum Engineers, Richardson, TX.
- Texas A&M University. 1991. Mississippi-Alabama Continental Shelf Ecosystem Study, Data Summary and Synthesis. Prepared for MMS Gulf of Mexico OCS Region. MMS 91-0064.
- Thayer, G.W., and J.F. Ustach. 1981. Gulf of Mexico Wetlands: Value, state of knowledge and research needs. In: Proceedings of a Symp. on Environ. Res. Needs in the Gulf of Mexico (GOMEX), Key Biscayne, FL, September 1979. Atwood, D.K. (ed). Vol. IIB: 2-19.
- Thomas, R.E. and S.D. Rice. 1979. The Effect of Exposure Temperatures on Oxygen Consumption and Operation Breathing Rates of Pink Salmon Fry Exposed to Toluene, Naphthalene, and Water-Soluble Fractions of Cook Inlet Crude Oil and No. 2 Fuel Oil. In: *Marine Pollution: Functional Response*. Academic Press, Inc.
- Thompson, J.H., Jr. and T.J. Bright. 1977. Effect of drilling mud on clearing rates of certain hermatypic corals. Proceedings of the Oil Spill Conference (Prevention, Behavior, Control, Clean-up). March 8-10, 1977. New Orleans. pp. 495-498. In: Petrazzuolo, G. 1983. Environmental Assessment of Drilling Fluids and Cuttings Discharge on the OCS. Draft Final Report. U.S. EPA, Washington, DC.

- Thompson, J.H., Jr. and T.J. Bright. 1980. Effects on an Offshore Drilling Fluid on Selected Corals. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Tillery, J.B. and R.E. Thomas. 1980. Heavy Metals Contamination from Petroleum Production Platforms in the Central Gulf of Mexico. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Tornberg, L.D., E.D. Thielk, R.E. Nakatani, R.C. Miller, and S.O. Hillman. 1980. Toxicity of Drilling Fluids to Marine Organisms in the Beaufort Sea, Alaska. In: Symposium on research on environmental fate and effects of drilling fluids and cuttings. Lake Buena Vista, FL, January 1980. API, Washington, DC.
- Trees, C.C., and S.Z. El-Sayed. 1986. Remote sensing of chlorophyll concentrations in the northern Gulf of Mexico. Proceedings of SPIE, the International Society for Optical Engineering: Ocean Optics VIII. M. Blizzard (ed). Vol. 637, pp 328-334.
- Trefry, J.H., R. Trocine, and D. Meyer. 1981. Tracing the Fate of Petroleum Drilling Fluids in the Northwest Gulf of Mexico. *Oceans*, September 1981. pp. 732-736.
- Trefry, J.H., R.P. Trocine, S. Metz and M.A. Sisler. 1986. Forms, Reactivity and Availability of Trace Metals in Barite. Draft Final Report to OOC.
- Trocine, R.P., J.H. Trefry and D.B. Meyer. 1981. Inorganic tracers of petroleum drilling fluid dispersion in the northwest Gulf of Mexico. Reprint Extended Abstract. Div. Environ. Chem., ACS Meeting, Atlanta, GA, March-April, 1981.
- U.S. Environmental Protection Agency (U.S. EPA). 1978. Natural Radioactivity Contamination Problems. EPA 520/4-77-015.
- U.S. EPA. 1985. Development Document for Effluent Limitations, Guidelines, and Standards for the Offshore Segment of the Oil and Gas Extraction Point Source Category. EPA 440/1-85-055.
- U.S. EPA. 1993. Development Document for Effluent Limitations Guidelines and New Source Performance Standards for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category. Office of Water. EPA 821-R-93-003.
- U.S. EPA. 1996. Development Document for Final Effluent Limitations Guidelines and Standards for the Coastal Subcategory of the Oil and Gas Extraction Point Source Category. EPA-821-R-96-023.
- U.S. EPA. 1997. Letter from Alexandra Tarnay, U.S. EPA to Nerija Orentas, *Avanti* Corporation, regarding Current Federal Water Quality Criteria, February 20, 1997.
- U.S. EPA. 1999. Development Document for Proposed Effluent Limitations Guidelines and Standards for Synthetic-Based Drilling Fluids and other Non-Aqueous Drilling Fluids in the Oil and Gas Extraction Point Source Category. EPA-821-B-98-021.
- U.S. EPA, Region 10. 1984. Final Ocean Discharge Criteria Evaluation, Diapir Field. OCS Lease Sales 87 and State Lease Sales 39, 43, and 43a. Prepared by Jones and Stokes Assoc., Inc. and Tetra Tech, Inc.

- U.S. EPA. 2000. Environmental Assessment of Final Effluent Limitations Guidelines and Standards for Synthetic-Based Drilling Fluids and other Non-Aqueous Drilling Fluids in the Oil and Gas Extraction Point Source Category. Office of Water. EPA-821-B-00-014
- U.S. FWS (U.S. Fish and Wildlife Service). 1978. Development of fishes of the mid-Atlantic Bight. FWS/OBS-78/12. U.S. FWS, Office of Biological Services. 6 vols.
- USFWS. 1982. Stock Island Tree Snail Recovery Plan. U.S. Fish and Wildlife Service, Atlanta, Georgia. 15 pp.
- USFWS. 1986. Key Tree-cactus Recovery Plan. U.S. Fish and Wildlife Service, Atlanta, GA. 28 pp.
- USFWS. 1987a. Endangered Species Act: Biological Opinion for Outer Continental Shelf Oil and Gas Lease Sale No. 115, Western Gulf of Mexico. Memorandum dated June 19, 1987, to Director, MMS, Washington, DC, from Regional Director, USFWS, Region 2. Albuquerque, NM. Consultation No. 2-13-87-F-28. 11 pp.
- USFWS. 1987b. Endangered and Threatened Species of Texas and Oklahoma. With 1988 Addendum. 132 pp.
- USFWS. 1988. Recovery Plan for Five Florida Pine Rockland Plant Species. U.S. Fish and Wildlife Service, Atlanta, GA. 18 pp.
- USFWS. 1989. Florida Manatee (*Trichechus manatus latirostris*) Recovery Plan. Prepared by the Florida Manatee Recovery Team for the USFWS, Atlanta, GA. 98 pp.
- USFWS. 1990. Biological Opinion on Outer Continental Shelf Oil and Gas Leasing, Exploration, Development, Production, and Abandonment in the Eastern Gulf of Mexico Planning Area. Memorandum to: Assoc. Director for Offshore Leasing, MMS.
- USFWS. 1991. Biological Opinion on Outer Continental Shelf Oil and Gas Leasing, Exploration, Development, Production, and Abandonment in the Central Gulf of Mexico, Lease Sale 139. Memorandum to: Assoc. Director for Offshore Leasing, MMS.
- USFWS. Undated. Information on the Schaus' Swallowtail Butterfly, from the files of USFWS. Supplied by Jane Tutton, USFWS, Vero Beach Field Office, Vero Beach, FL.
- van der Borgh, O. 1963. Accumulation of radium-226 by the freshwater gastropod *Lymnaea stagnalis* L. *Nature* 197:612-613.
- Van Meter, V.B. 1989. The West Indian Manatee in Florida. For Florida Power and Light Company. 41 pp.
- Van Meter, V.B. 1990. Florida's Sea Turtles. Florida Power & Light Company. Miami, Florida.
- Versar. 1992. Aquatic and Human Health Toxicity Data for Produced Water Pollutants, Draft. Memorandum from L. Wilson, March 2, 1992.
- Vik, E.A., S. Dempsey, B. Nesgard. 1996. Evaluation of Available Test Results from Environmental Studies of Synthetic Based Drilling Muds. OLF Project, Acceptance Criteria for Drilling Fluids. Aquateam Report No. 96-010.

- Vukovich, F.M., B.W. Crissman, M. Bushnell, and W.J. King. 1978. Sea-surface temperature variability analysis of potential OTEC sites utilizing satellite data. Research Triangle Institute, Research Triangle Park, NC. 153 pp.
- Wade, R.A., and C.R. Robins. 1972. The tarpon and its sportfishery: A review of our knowledge and outline of the problem. In: Proceedings of the 15th Annual International Game Fish Research Conference. 15:16-23.
- Warren, J.R., H.M. Perry, and B.L. Boyes. 1978. Fisheries assessment and monitoring. In: J.Y. Christmas, H.M. Perry, T.M. Van Devonder (eds.). Industrial Bottomfish Mississippi Completion Rpt PL 88-309. Project 2-215.
- Wheeler, R.B., J.B. Anderson, R.R. Schwarzer, and C.L. Hokanson. 1980. Sedimentary processes and trace metal contaminants in the Buccaneer oil/gas field, northwest Gulf of Mexico. *Environ. Geol.* 3:163-175.
- White, M.L., and M.E. Chittenden, Jr. 1977. Age determination, reproduction, and population dynamics of the Atlantic croaker, *Micropogonias undulatus*. *Fishery Bulletin*. 75(1):109-123.
- Woods, C.A., W. Post, and C.W. Kilpatrick. 1982. *Microtus pennsylvanicus* (Rodentia: Muridae) In Florida: A Pleistocene Relict in a Coastal Saltmarsh. *Bull. Florida State Mus., Biol. Sci.* 28(2):25-52.
- Woodward-Clyde Consultants and CSA, Inc. 1984. Southwest Florida Shelf Ecosystems Study-Year 2. Report to MMS. 14-12-0001-29144.
- Woody, J.B. 1986. Kemp's ridley sea turtle. In: A.S. Enos, R.L. Di Silvestro, and W.J. Chandler (eds.). Audubon Wildlife Report 1986. The National Audubon Society, New York, New York. Pages 919-931.
- Wright, S.J. 1993. Analysis of CORMIX1 and UM/PLUMES Predictive Ability for Buoyant Jets in a Density-Stratified Flow. Prepared for U.S. EPA Office of Wastewater Enforcement and Compliance.
- Yentsch, C.S. 1982. Satellite observation of phytoplankton distribution associated with large scale oceanic circulation. NAFO Sci. Counc. Stud. No. 4. pp. 53-59.
- Yoder, J.A. and A. Mahood. 1983. Primary Production in Loop Current Upwelling. In: Univ. of Maryland Eastern Shore. 1985. Federal OCS Oil and Gas Activities: A Relative Comparison of Marine Productivity Among the OCS Planning Areas. Draft report prepared for MMS. Coop. Agree. No. 14-12-0001-30114. 1,450 pp.
- Yokel, B.J. 1966. A contribution to the biology and distribution of the red drum, *Sciaenops ocellata*. M.S. Thesis. University of Miami, Coral Gables, FL. 160 pp.
- Zein-Eldin, Z.P., and P.M. Keney. 1979. Bioassay of Buccaneer oil field effluents with penaeid shrimp. Pages 2.3.4-1 to 2.3.4-25. In: Environmental Assessment of an Active Oil Field in the Northwestern Gulf of Mexico, 1977-1978. Volume II: Data Management and Biological Invest. NOAA, NMFS, Galveston, TX.

Zevallos, M.A.L., J. Candler, J.H. Wood, and L.M. Reuter. 1996. Synthetic-based fluids enhance environmental and drilling performance in deepwater locations. SPE 35329. Pages 235-242 In: SPE International Petroleum Conference & Exhibition of Mexico. Villahermosa, Tabasco, Mexico, 5-7 March 1996. Society of Petroleum Engineers, Inc. Richardson, TX.

Zingula, R.P. 1975. Effects of Drilling Operations on the Marine Environment. In: Conference Proceedings on Environmental Aspects of Chemical Use in Well-Drilling Operations, Houston, TX, May 21-23, 1975. EPA-550/1-75-004, 443-450. U.S. EPA, Washington, DC.